



Shenzhen Tian Hai Test Technology Co.,Ltd.

CE Certificate of Conformity

Certification number: TH2109149-C02-C01

Report number: TH2109149-C02-R01

Shenzhen Tian Hai Test Technology Co.,Ltd. hereby declares that testing has been completed and reports have been generated for:

Applicant: CEV Electronic GmbH

Address: Luise-Vollmar-Straße 17, D-41065 Mönchengladbach, Germany

Manufacturer: Guangdong Crown Electronic Co.,Ltd

**Address: 523460, 2F, No. 27, Yuning North Road,Xincheng District, Hengli Town,
Dongguan City, Guangdong Province, China**

Product: DC FAN

Model: See attachment

Rating: See attachment

And, in accordance with the following applicable directives:

2014 / 35 / EU Low Voltage Directive(LVD)

That this product has been assessed against the following applicable standards;

Standard EN 62368-1: 2014+A11:2017

Therefore, Shenzhen Tian Hai Test Technology Co.,Ltd. hereby acknowledges that the applicant may issue a DECLARATION of CONFORMITY and apply the CE marking in accordance with European Union Rules.

Attestation by:



Thomas Wong



Date of Issued: 2021-09-29



Attachment of TH2109149-C02-C01

Model	Voltage(V)	Current(A)
(A)(W)(Y)01708(Z)(X)(V)	12	0.03~0.22
(A)(W)(Y)02006(Z)(X)(V)	12	0.03~0.20
(A)(W)(Y)02510(Z)(X)(V)	12	0.04~0.14
(A)(W)(Y)03007(Z)(X)(V)	12	0.02~0.20
(A)(W)(Y)03010(Z)(X)(V)	12	0.03~0.27
(A)(W)(Y)03510(Z)(X)(V)	12	0.05~0.30
(A)(W)(Y)03820(Z)(X)(V)	12	0.08~0.65
(A)(W)(Y)03828(Z)(X)(V)	12	0.35~1.24
(A)(W)(Y)04008(Z)(X)(V)	12	0.06~0.28
(A)(W)(Y)04010(Z)(X)(V)	12	0.03~0.35
(A)(W)(Y)04015(Z)(X)(V)	12	0.03~0.40
(A)(W)(Y)04020(Z)(X)(V)	12	0.04~0.60
(A)(W)(Y)04028(Z)(X)(V)	12	0.10~1.3
(A)(W)(Y)04056(Z)(X)(V)	12	0.75~2.4
(A)(W)(Y)05010(Z)(X)(V)	12	0.06~0.25
(A)(W)(Y)05012(Z)(X)(V)	12	0.06~0.30
(A)(W)(Y)05015(Z)(X)(V)	12	0.06~0.35
(A)(W)(Y)05020(Z)(X)(V)	12	0.06~0.40
(A)(W)(Y)05025(Z)(X)(V)	12	0.10~0.45
(A)(W)(Y)05115(Z)(X)(V)	12	0.08~0.48
(A)(W)(Y)05210(Z)(X)(V)	12	0.08~0.52
(A)(W)(Y)05512(Z)(X)(V)	12	0.12~0.55
(A)(W)(Y)06010(Z)(X)(V)	12	0.03~0.50
(A)(W)(Y)06015(Z)(X)(V)	12	0.03~0.50
(A)(W)(Y)06020(Z)(X)(V)	12	0.04~0.42
(A)(W)(Y)06025(Z)(X)(V)	12	0.04~1.30
(A)(W)(Y)06038(Z)(X)(V)	12	0.20~2.25
(A)(W)(Y)07010(Z)(X)(V)	12	0.04~0.35
(A)(W)(Y)07015(Z)(X)(V)	12	0.04~0.50
(A)(W)(Y)07025(Z)(X)(V)	12	0.04~0.65
(A)(W)(Y)07530(Z)(X)(V)	12	0.10~0.60
(A)(W)(Y)08010(Z)(X)(V)	12	0.04~0.25
(A)(W)(Y)08015(Z)(X)(V)	12	0.03~0.45
(A)(W)(Y)08020(Z)(X)(V)	12	0.03~0.50
(A)(W)(Y)08025(Z)(X)(V)	12	0.04~1.22
(A)(W)(Y)08032(Z)(X)(V)	12	0.15~1.20
(A)(W)(Y)08038(Z)(X)(V)	12	0.40~2.40
(A)(W)(Y)08056(Z)(X)(V)	12	0.65~3.50



Shenzhen Tian Hai Test Technology Co.,Ltd.

(A)(W)(Y)09220(Z)(X)(V)	12	0.06~0.85
(A)(W)(Y)09225(Z)(X)(V)	12	0.07~0.98
(A)(W)(Y)09232(Z)(X)(V)	12	0.40~1.55
(A)(W)(Y)09238(Z)(X)(V)	12	0.60~0.35
(A)(W)(Y)09733(Z)(X)(V)	12	0.36~1.68
(A)(W)(Y)10025(Z)(X)(V)	12	0.25~1.54
(A)(W)(Y)12025(Z)(X)(V)	12	0.08~1.05
(A)(W)(Y)12032(Z)(X)(V)	12	0.08~1.65
(A)(W)(Y)12038(Z)(X)(V)	12	0.15~3.56
(A)(W)(Y)13038(Z)(X)(V)	12	0.25~1.78
(A)(W)(Y)14025(Z)(X)(V)	12	0.22~1.82
(A)(W)(Y)14038(Z)(X)(V)	12	0.42~3.85
(A)(W)(Y)15051(Z)(X)(V)	12	0.52~1.30
(A)(W)(Y)15458(Z)(X)(V)	12	0.52~1.30
(A)(W)(Y)17251(Z)(X)(V)	12	0.52~1.30
(A)(W)(Y)17238(Z)(X)(V)	12	0.45~1.00
where (A) may be A through Z, 0 through 9, "-" or blank, where (W) may be A through Z, 0 through 9, "-" or blank, where (Y) may be A through Z, 0 through 9, "-" or blank, where (Z) may be A, B, C, G, S, T, R or F, where (X) may be A through Z, 05V through 48V, "-" or blank, Where (V) may be XXXX, where X may be A through Z, 0 through 9, "-" or blank, May be followed by addition of suffix numbers and/or letters.		